


COMMUNITY AND ECONOMIC DEVELOPMENT DEPARTMENT BUILDING DIVISION

P.O. Box 1609, Mammoth Lakes, CA 93546 Phone: (760) 934-8989 Ext. 274 Fax: (760) 934-8608

www.ci.mammoth-lakes.ca.us

ACCESSIBLE PARKING REQUIREMENTS



1129B.5 Identification of Parking Spaces for Off-Street Parking Facilities. Each parking space reserved for persons with physical disabilities shall be identified by a reflectorized sign permanently posted immediately adjacent to and visible from each stall or space, consisting of a profile view of a wheelchair with occupant in white on dark blue background. The sign shall not be smaller than 70 square inches (4516mm²) in area and, when in a path of travel, shall be posted at a minimum height of 80 inches (2032mm) from the bottom of the sign to the parking space finished grade and shall be unobscured by a parked vehicle. Signs may also be centered on the wall at the interior end of the parking space at a minimum height of 36 inches (914mm) from the parking space finished grade, ground or sidewalk. Spaces complying with Section 1129B.4.2 shall have an additional sign stated "Van-Accessible" mounted below the symbol of accessibility.

An additional sign shall also be posted in a conspicuous place at each entrance to off-street parking facilities, or immediately adjacent to and visible from each stall or space. The sign shall not be less than 17 inches by 22 inches (432mm by 559 mm) in size with lettering not less than 1 inch (25mm) in height, which clearly and conspicuously states as illustrated above.

Blank spaces are to be filled in with appropriate information as a permanent part of the sign.

In addition to the above requirements, the surface of each accessible parking space or stall shall have a surface identification duplicating either of the following schemes:

- 1. By outlining or painting the stall or space in blue and outlining on the ground in the stall or space in white or suitable contrast color a profile view depicting a wheelchair with occupant; or,
- 2. By outlining a profile view of a wheelchair with occupant in white on blue background. The profile view shall be located so that it is visible to a traffic enforcement officer when a vehicle is properly parked in the space and shall be 36 inches wide.

301 11/12